

(Re)Cover[®]

(RE)COVER POOL COVER CONCEPTS

+

BLUE

professional poolware

(Re)Cover and BLUE Professional Poolware believe in the fact that you should do what you are good at.

(Re)Cover is very good in development and production of slatted covers. A (Re)Cover slat cover insulates, it can heat, it is safe and reduces maintenance. It's high quality ensures a long lifespan. BLUE Professional Poolware stands for producing absolute quality products accessible for distributors and swimming pool builders. The best price/quality ratio in class to stay at the top of the industry.

(Re)Cover[®]

SLATTED POOL COVERS





“ The perfect start of
a beautiful day ... ”



A swimming pool cover is one of the most important components of a swimming pool. That's why choosing a cover deserves every bit of attention. A well-functioning cover will **strongly enhance the pleasure of using your pool**.



A (Re)Cover slat cover **insulates**, it is **safe** and **reduces maintenance**. Its high quality ensures a long lifespan. This is achieved by **UV-protection, hail resistance** and **best possible geometry**.



Mast(eR) PVC Profile

60 mm x 14 mm



	Article Number	Description
	60.PVC.01	White PVC 60 mm
	60.PVC.13	Grey PVC 60 mm

- a) High-quality PVC in White and Grey
- b) Geometry that can replace any other profile
- c) Double hook connection, can be rolled up on both sides
- d) Upward force: 8.14 Kg/m²

Roll diameters on a tube Ø 139.7

Cover length in m.	Number of slats	Ø in mm
6	100	375
7	117	400
8	133	430
9	150	455
10	167	465
11	183	495
12	200	505
13	217	530
14	233	555

(Re)Cover[®]

SLATTED POOL COVERS

“

The perfect end of a
beautiful day ...

”

(Re)C[®]

WWW.RECOVERPOOLS.COM

Elzenweg 27,
5144 MB Waalwijk,
Telefoon: +31 (0)416 322 422
sales@recoverpools.com
www.recoverpools.com



professional poolware



Blue Professional Poolware

Pool
Equipment





Welkom to Blue Professional Poolware, a Dutch producer and distributor of swimming pool products and accessories.

Decades of combined experience and expertise, from building swimming pools to the development of products, had led to the birth of Blue Professional Poolware. We are here **specially for our dealers**. By excluding expensive intermediaries as producer we ensure direct supply to our dealers. Hereby, we make the most technical high-quality and complex products accessible for competitive prices.

Blue Professional Poolware sets a new standard in the industry with its guarantee period.

The **highest possible guarantee** period show that we believe in the quality of the products. We work only with the best components available.

With Blue Professional Poolware we have our own research & development (R&D) team in house. Our team constantly invests in product development and product improvements. Together with the feedback of our customers we **always strive for the best technically achievable products**. If you have any questions or comments regarding our products of catalogue, our team will be happy to assist you.

Best regards,

Blue Professional Poolware
Tom van den Elzen

All our products have a 5-year warranty.

Pool drive systems with a motor capacity of 250Nm



“A pool drive system consists a mounting set, roller tube, tubular motor, control cabinet of 250nm and fasteners.”

Nitrogen

Engines are filled with nitrogen instead of oxygen or oil. Oxygen in the air partly contains water and this could precipitate as condensation. In addition, at temperature differences there could be varying pressure in the engine.

Water in the air can cause corrosion, something that can affect the electric drive and sensors. To prevent this, Blue Professional Poolware uses nitrogen.

Nitrogen is colour- and odourless and free of water. In addition, oxygen or oil could escape from the engine and water could enter where oxygen escapes. Something you'll want to prevent at all times. Nitrogen escapes less quickly and is therefore better for the engine.

POM-C

POM-c has a high tenacity and shape stability. In addition, it has great sliding properties and low water absorption.



Mounting set

Inclusive: Viton gasket and fasteners



Tubular motor 250Nm

Stainless steel 316L, nitrogen filled



Control cabinet 250Nm



Roller tube <6m - Ø140mm
Stainless steel 316-L, POM-C bearings

Accessories

Pre-assembly counter element 2" M

This element is mounted and poured into the concrete box. After removing the concrete box and finishing the bath, the mounting set can be mounted directly on it.



Remote control 2-channels

1.0 A, AC/DC 30V

Potential-free relay contacts

Relay contact R1 / channel 1 (open)

Relay contact R2 / channel 2 (close)

Key-operated switch

A switch that can be activated by the use of a key.



Youtube

We have our own YouTube channel where various YouTube installation videos can be found.



You can visit our YouTube channel by scanning this QR Code with your phone.

Or follow this link:

<https://www.youtube.com/channel/UCPO9AsXL3G4zbHEzjU8eWxA/playlists>